

IN THE CLAIMS:

Claims 1, 10, 16-21, 26, 41-46, and 52-53 are amended herein. Claims 2, 3, 27, and 28 are cancelled. All pending claims are produced below.

1. (Currently Amended) A method, comprising:
identifying an event having an associated article;
identifying article data associated with the article; and
determining a capture score for the event based at least in part on the article data;
and
compiling event data associated with the event responsive at least in part to a
comparison of the capture score and a threshold value.
2. (Cancelled)
3. (Cancelled)
4. (Original) The method of claim 1, wherein a capture score is determined at least in part by associating a weight with one or more fields of an event schema.
5. (Original) The method of claim 1, wherein the article data comprises a location of the article.
6. (Original) The method of claim 5, wherein the capture score is determined at least in part by associating a weight with the location of the article.
7. (Original) The method of claim 6, wherein the weight is determined at least in part by user behavior.
8. (Original) The method of claim 1, wherein the article data comprises a file type of the article.
9. (Original) The method of claim 8, wherein the capture score is determined at least in part by associating a weight with the file type of the article.

10. (Currently Amended) The method of claim [[6]] 9, wherein the weight is determined at least in part by user behavior.
11. (Original) The method of claim 1, wherein the article data comprises access data associated with the article.
12. (Original) The method of claim 11, wherein access data comprises recency associated with access of the article.
13. (Original) The method of claim 11, wherein access data comprises frequency associated with access of the article.
14. (Original) The method of claim 1, wherein the capture score is determined at least in part by associating at least one weight with the article data.
15. (Original) The method of claim 14, wherein the weight is determined at least in part by user behavior.
16. (Currently Amended) The method of claim [[2]] 1, wherein the threshold value is predetermined.
17. (Currently Amended) The method of claim [[2]] 1, wherein the threshold value is determined based at least in part on user behavior.
18. (Currently Amended) The method of claim [[2]] 1, further comprising indexing the event responsive at least in part to a comparison of the capture score and the threshold value if the capture score is above the threshold value.
19. (Currently Amended) The method of claim [[2]] 1, further comprising storing the event responsive at least in part to a comparison of the capture score and the threshold value if the capture score is above the threshold value.
20. (Currently Amended) The method of claim [[2]] 1, further comprising not indexing the event responsive at least in part to a comparison of the capture score and the threshold value if the capture score is below the threshold value.

21. (Currently Amended) The method of claim [[2]] 1, further comprising not storing the event responsive at least in part to a comparison of the capture score and the threshold value ~~if the capture score is below the threshold value.~~
22. (Original) The method of claim 1, wherein the event is a historical event.
23. (Original) The method of claim 5, wherein the location of the article can comprise a directory identifier in which the article is stored.
24. (Original) The method of claim 1, wherein the article is identified during a crawl of a client device.
25. (Original) The method of claim 1, further comprising determining if the article meets at least one criterion and not capturing the event if the article meets the criterion.
26. (Currently Amended) A tangible computer-readable medium containing program code, comprising:
program code for identifying an event having an associated article;
program code for identifying article data associated with the article; ~~and~~
program code for determining a capture score for the event based at least in part
on the article data; and
program code for compiling event data associated with the event responsive at least in part to a comparison of the capture score and a threshold value.
27. (Cancelled)
28. (Cancelled)
29. (Original) The computer-readable medium of claim 26, wherein a capture score is determined at least in part by associating a weight with one or more fields of an event schema.
30. (Original) The computer-readable medium of claim 26, wherein the article data comprises a location of the article.

31. (Original) The computer-readable medium of claim 30, wherein the capture score is determined at least in part by associating a weight with the location of the article.
32. (Original) The computer-readable medium of claim 31, wherein the weight is determined at least in part by user behavior.
33. (Original) The computer-readable medium of claim 26, wherein the article data comprises a file type of the article.
34. (Original) The computer-readable medium of claim 33, wherein the capture score is determined at least in part by associating a weight with the file type of the article.
35. (Original) The computer-readable medium of claim 34, wherein the weight is determined at least in part by user behavior.
36. (Original) The computer-readable medium of claim 26, wherein the article data comprises access data associated with the article.
37. (Original) The computer-readable medium of claim 36, wherein access data comprises recency associated with access of the article.
38. (Original) The computer-readable medium of claim 36, wherein access data comprises frequency associated with access of the article.
39. (Original) The computer-readable medium of claim 37, wherein the capture score is determined at least in part by associating at least one weight with the article data.
40. (Original) The computer-readable medium of claim 39, wherein the weight is determined at least in part by user behavior.
41. (Currently Amended) The computer-readable medium of claim [[27]] 26, wherein the threshold value is predetermined.
42. (Currently Amended) The computer-readable medium of claim [[27]] 26, wherein the threshold value is determined based at least in part on user behavior.

43. (Currently Amended) The computer-readable medium of claim [[27]] 26, further comprising program code for indexing the event responsive at least in part to a comparison of the capture score and the threshold value ~~if the capture score is above the threshold value.~~
44. (Currently Amended) The computer-readable medium of claim [[27]] 26, further comprising program code for storing the event responsive at least in part to a comparison of the capture score and the threshold value ~~if the capture score is above the threshold value.~~
45. (Currently Amended) The computer-readable medium of claim [[27]] 26, further comprising program code for not indexing the event responsive at least in part to a comparison of the capture score and the threshold value ~~if the capture score is below the threshold value.~~
46. (Currently Amended) The computer-readable medium of claim [[27]] 26, further comprising program code for not storing the event responsive at least in part to a comparison of the capture score and the threshold value ~~if the capture score is below the threshold value.~~
47. (Original) The computer-readable medium of claim 26, wherein the event is a historical event.
48. (Original) The computer-readable medium of claim 30, wherein the location of the article can comprise a directory identifier in which the article is stored.
49. (Original) The computer-readable medium of claim 26, wherein the article is identified during a crawl of a client device.
50. (Original) The computer-readable medium of claim 26, further comprising program code for determining if the article meets at least one criterion and not capturing the event if the article meets the criterion.
51. (Original) A method, comprising:

identifying an event having an associated article by crawling a client device;
identifying one or more of a location of the article, a file type of the article, and
access data for the article;
determining a capture score for the event based at least in part on one or more of
the location of the article, the file type of the article, and the access data
for the article; and
indexing the event if the capture score is above a threshold value.

52. (Currently Amended) A computer-implemented system, comprising:
a means for determining a capture score for an event; and
a means for indexing the event responsive at least in part to a comparison of the
capture score and a threshold value ~~if the capture score is above a
threshold value.~~
53. (Currently Amended) The system of claim 52, further comprising a means for storing the
event responsive at least in part to a comparison of the capture score and a threshold
value ~~if the capture score is above the threshold value.~~